

ICTAFF 2018

International Conference on Tropical Agrifood, Feed, and Fuel

Sustainability of Food, Feed, and Fuel Tropical Resources for Quality Future

PROCEEDING

Samarinda, 13-14 November 2018
MESRA Bussines Hotel

PROCEEDING

INTERNATIONAL CONFERENCE ON TROPICAL AGRIFOOD, FEED, AND FUEL (ICTAFF): SUSTAINABILITY OF FOOD, FEED, AND FUEL TROPICAL RESOURCES FOR QUALITY FUTURE

Samarinda, 13-14 November 2018



Publisher

Department of Agricultural Products Technology Agriculture Faculty, Mulawarman University Samarinda



PROCEEDING

International Conference on Tropical Agrifood, Feed and Fuel (ICTAFF): Sustainability of Food, Feed, and Fuel Tropical Resources for Quality Future Samarinda, 14-15 November 2018

ISBN: 9786021753019

Executive Committee

Advisor : Dr. Ir. H. Rusdiansyah, M.Si.

(Dean of Agriculture Faculty, Mulamarman University)

Supervisors : Prof. Dr. Bernatal Saragih, M.Si.

Nurul Puspita Palupi, SP., M.Si. Dr. H. Achmad Zaini, SP., M.Si.

Board Committee : Prof. Dr.oec.troph. Ir. Krishna Purnawan Candra, MS.

Chairman : Dr. Aswita Emmawati, S.TP.,M.Si.

Vice Chairman : drh. Fikri Ardhani, M.Sc.
Secretary : Marwati, S.TP., MP.
Trasurer : Dra. Yuliani, MP.

Academic Committee : SulistyoPrabowo, S.TP., MP., M.PH., Ph. D.

1. Ir. Ndan Imang, MP., Ph.D

Anton Rahmadi, S.TP., M.Sc., Ph. D.
 Dr. Ir.Taufan Purwokusumaning Daru, MP.

4. Dr.Agr.sc. Nurhasanah, SP., M.Si.

5. Dr. Ir. Hj. Sopialena, MP.

Organizing Committee : Hj. Maulida Rachmawati, SP.,MP.

1. Dr. Odit Ferry Kurniadinata, SP., M.Si.

2. Arif ismanto S.Pt., M.Si

3. Mursidah SP,MM

4. Novi Cristiani, S.TP.

Sponsorship : Ir. Hj. HudaidaSyahrumsyah, MP.

1. Ir. Hj. Rita Mariati, MP.

2. Tetty Wijayanti, SP., MP.

3. Nella Naomi Duakaju, S.TP., MP.

4. Rina Rusmina, SP.

Equipment and Transportation : Dr. Hadi Pranoto, SP., MP.

1. Donny Donanto, SP., M.Sc.

2. Adi Suwito

Public Relation : Dr.Ir. Hj. Ellok Dwi Sulichantini, MP.

1. Dr. Rabiatul Jannah, SP., MP.

Secretariat : Yulian Andriyani, S.TP., M.Sc.

1. Muhammad Jailani, SP.

2. Elisa Maulidya Saputri S.TP., M.Sc



- 3. Yudha Agus Prayitno S.TP
- 4. Hairun Nisyawati S.TP
- 5. Ondella Widhiarto S.TP
- 6. Rini Rahmawati S.TP
- 7. Hanip S.TP

Streering Committee

Prof. Dr.oec.troph. Ir. Krishna Purnawan Candra, M.S. (Mulawarman University, Indonesia)

Prof. Dr. Bernatal Saragih, M.Si. (Mulawarman University, Indonesia)

Prof. Dr. Ir. Juraemi, M.Si. (East Kutai Agricultural College School, Indonesia)

Reviewers

Prof. Xuming Huang, Ph.D (South China Agricultural University, China)

Assoc. Prof. Dr. Somsak Mannepong (Walailak University, Thailand)

Prof. Dr. Irwandi Jaswir (Internasional Islamic University, Malaysia)

Dr. Dadan Rohdiana (Research Institute of Tea and Chincona, Indonesia)

Dr.Agr.sc. Nurhasanah, S.P., M.Si (Mulawarman University, Indonesia)

Dr. Ir. Hj. Sopialena, MP (Mulawarman University, Indonesia)

Dr. Rabiatul Jannah, SP., MP (Mulawarman University, Indonesia)

Widi Sunaryo, S.P., M.Si., Ph.D (Mulawarman University, Indonesia)

Dr. Aswita Emmawati, S.TP., M.Si (Mulawarman University, Indonesia)

Editor:

Sulistyo Prabowo, S.TP., MP., M.PH., Ph.D. Maghfirotin Marta Banin, S.Pi., M.Sc. Elisa Maulidya Saputri, S.TP., M.Sc.

Cover and Layout:

Hairun Nisyawati, S.TP. Ondela Widhiarto, S.TP.

Publisher

Department of Agricultural Products Technology

Agriculture Faculty, Mulawarman University

Jl. Pasir Balengkong, Gunung Kelua Campus Mulawarman University, Samarinda.

Published: August 2019

All rights reserved.

No part of this book may be reproduced or copied in any form without written permission of the publisher.

ISBN:9786021753019 | iii



PREFACE

The greatest regards should be expressed only to God the Almighty, Allah SWT. We have finished the Proceeding book of International Conference on Tropical Agrifood, Feed, and Fuel (ICTAFF) after the conference which was held on 13-14 November 2018 in Mesra bussines Hotel Samarinda.

The conference takes "Sustainability of Tropical Food, Feed, and Fuel Tropical Resources for Quality Future" as the main theme. This international conference is aimed at resolving problems and bringing together scientists, researchers, professionals, and students from multidisciplinary agriculture-related fields to share the latest findings or ongoing research activities.

There are 6 sub themes emphasized in the ICTAFF 2018, including halal, safe, and healthy food, improving quality food and nutrition, security and sustainability food and agriculture, innovation in feed technology to increase animal production, sustainable and renewable fuels based on tropical resources, and empowering of agribusiness based on community.

We would like to thank all keynote speakers for their contributions to the Conference, they are Asst. Prof. Dr. Somsak Maneepong from Walailak University Thailand, Prof. Xuming Huang from South China Agricultural University, Prof. Irwandi Jaswir from International Islamic University Malaysia (IIUM), Prof. Ali Agus from Gadjah Mada University, Dr. Dadan Rohdiana from Research Institute of Tea and Cinchona Indonesia, and Widi Sunaryo, Ph.D from Mulawarman University Indonesia.

Finally, we would like to thanks all of the proceeding team who have dedicated their constant supports and countless time to bring these scratches into a book. The ICTAFF 2018 proceeding is a credit to a large group of people, and everyone should be proud of the outcome.

Editors



Welcome Speech

Welcome Note From ICTAFF 2018 Committee

Assalamu'alaikum Warahmatullah Wabarakatuh

I would like to express the greatest regard to the Almighty God, Allah Subhanallahi Wa Ta'ala, for the Successful of International Conference of Food, Feed and Fuel 2018. I also would like to welcome all the audiences to Samarinda Kota Tepian.

Food security is very important to strengthen and support sustainable development in agriculture. Food, not only from plant but also from animal, should be available for all resident of Indonesia. It is urgent to provide quality feed to support food animal development to fulfill people needs of nutrition.

We would like to report that about sixty participants are attending the conference. Researcher and lecturer from some universities and research institutions will disseminate their research in this conference. This number is beyond our expectation when we were arranging the conference.

This conference will present international speakers from Wailailak University, Associate Professor Somsak Maneepong, Prof. Irwandi Jaswir from International Islamic University of Malaysia, Prof Xuming Huang from South China Agricultural University, Prof Ali Agus from Gadjah Mada University, Dr. Dadan Rohdiana from Research Institute of Tea and Cinchona Indonesia, and last but not least, Widi Sunaryo, Ph.D from Mulawarman University.

The morning session is designed to keynote speeches and the afternoon session is for parallel sessions. The parallel sessions will be focused into six topics: Halal, safe and healthy food; Security and sustainability of food and agriculture; Innovation in feed technology to increase animal production; Sustainable and Renewable fuel based on tropical resources; and Empowering of agribusiness based on community.

Faculty of Agriculture as conference organizer would like to thank Agrivita, the Journal of Agricultural Science on an agreement for publication of the selected papers from ICTAFF participants, and special thank Dr. Haviludin for helping our communication to the agreement. I also would like to thank to STIPER Kutai Timur, especially Prof. Juraemi, for cooperation in organizing and special thanks to PT. Kaltim Prima Coal and PT. Pupuk Kaltim for strong support to this conference.

We hope you will enjoy the tropical climate as long as staying in Samarinda. Thank you

Wassalamu'alaikum Warahmatullah Wabarakatuh

Committee.

Aswita Emmawati Chairman

ISBN:9786021753019 | v



CONTENTS

Title Pagei
Prefaceiv
Welcome Speechv
Contentvi
DAILY CONSUMPTION OF GREEN TEA REDUCED FREE RADICALS IN MODERATE SMOKERS
Rosyanne Kushargina, Rimbawan Rimbawan and Budi Setiawan
THE CALORIES AND GLYCAEMIC INDEX OF BUBUR PEDAS, TRADITIONAL FOOD OF WEST KALIMANTAN, INDONESIA Oke Anandika Lestari and Sulvi Purwayantie
EFFECTIVENESS OF TOBACCO EXTRACTS AS BIO PESTICIDES WITH VARIOUS CONCENTRATIONS IN CONTROL OF Dasychira inclusa Sri Ngapiyatun, Nur Hidayat and Fadli Mulyadi
A PLAIN DESIGN OF ELECTROLYSIS APPARATUS TO REDUCE AMMONIA CONTENT IN EFFLUENT FROM TOFU INDUSTRY Muflihah and Sulistyo Prabowo
GLYCEMIC INDEX AND FUNCTIONAL PROPERTIES OF JELAI (Coix lacryma-Jobi L) Bernatal Saragih
THE ANTIOXIDANT ACTIVITY OF KARAMUNTING FRUIT AS A NATURAL DYES AND PRESERVATIVE FOODS Elly Jumiati and Amarullah
DESIGN OF SOFT JELLY CANDY WITH ADDITION OF EDIBLE BIRD NEST (Collocalia Sp.) AS FUNCTIONAL FOOD RICH IN SIALIC ACID Krishna Purnawan Candra, Firza Sarwani, and Muhammad Hasan
THE EFFECT OF FORMULATION OF BAUNG FISH MEAT (Mystus nemurus) AND WHITE OYSTER MUSHROOM (Pleurotus ostreatus) ON CHEMICAL AND SENSORY CHARACTERISTICS OF AMPLANG
Marwati, Yahuda Keristian, Yuliani and Hamka
EFFECT OF EXTRACTION TIME ON CHARACTERISTIC OF PECTIN DERIVED FROM KAPAS BANANA (<i>Musa Sp.</i>) PEELS Yuliani, Diah Sri Lestari, and Anton Rahmadi
CHEMICAL AND SENSORY PROPERTIES OF WET NOODLES FROM FORMULATION OF WHEAT (Triticum Sp.) AND BARLEY (Coix lacryma-Jobi) FLOUR
Hudaida Syahrumsyah, Maulida Rachmawati and Yulian Andriyani



NUTRITIONAL CONTENT ANALYSIS OF INSTANT DRINK FROM AVOCADO SEEDS (Persea americana Mill) Ummu Aimanah, and Vandalisna
EARLY MATURITY OF BLACK RICE CEMPO M4 SELECTION RESULT GAMMA IRRADIATION 200 GRAY Eveline, Nandariyah, and Parjanto
TECHNICAL EFFICIENCY ANALYSIS OF LOWLAND RICE FARMING (Oryza sativa L.) RICE FIELDS IN BUKIT RAYA VILLAGE TENGGARONG SEBERANG SUBDISTRICT KUTAI KARTANEGARA REGENCY Erma Dwi Lestari, Tetty Wijayanti, and M. Erwan Suriatmaja
RESPONSE OF PALM OIL SEEDLINGS (Elaeis guineensis Jacq.) ON THE TREATMENT OF VARIOUS TYPES OF FERTILIZATION AND TRICHODERMA COMPOST AT PRE NURSERY Yetti Elidar
THE DETERMINATION OF NITROGEN (N) STATUS IN LEAF TISSUES TO MAKE A FERTILIZER RECOMMENDATION AND PREDICT MANGOSTEEN YIELD Odit F.Kurniadinata, Roedhy Poerwanto and Anas D. Susila
THE EFFECT OF ADDITION MANGROVE FRUIT EXTRACT (Sonneratia Sp) ON ORGANOLEPTIC QUALITY AND ANTIOXIDANT ACTIVITY OF PASTEURIZATION COW'S MILK Arif Ismanto and Nisa Ulkarimah
POTENTIAL OF COVER CROPS AS FORAGE IN POST COAL MINING LAND Muhammad Rizki Fadillah, Iin Susilawati and Budi Ayuningsih
SEMEN AND SPERM CHARACTERISTICS OF NUNUKAN ROOSTER Fikri Ardhani
CONTRIBUTION OF HOUSEHOLD INCOME TO ACCELERATE OIL PALM REPLANTING INDEPENDENTLY AT PASER REGENCY, EAST KALIMANTAN Mariyah, Yusman Syaukat, and Anna Fariyanti
ANALYSIS OF BEEF CATTLE BUSINESS IN SWAMP LAND IN KECAMATAN KOTA BANGUN KABUPATEN KUTAI KARTANEGARA Mursidah, Taufan Purwokusumaning Daru and Syahnur Alhusna
THE LEVEL OF FARMERS GROUP MEMBER PARTICIPATION IN RDK AND RDKK PREPARATION Midiansyah Effendi, Firda Juita, and Adi Darmanto
AREA CHARACTERISTICS AND MANAGEMENT OF OIL PALM PLANTATION OF COMMUNITY IN KECAMATAN MUARA BADAK Akhmad Sopian, Zainudin and Yusriansyah



GENETIC	QUA	LITY	STANDA	RDS	APPROF	PRIATE	WIT	H	THE
DEVELOPM	IENT	OF	SCIENCE	AND	TECHN	OLOGIC	CAL	IN	THE
PERSPECTI	VE OF	ENV	IRONMENT	AL LAV	$\boldsymbol{\mathcal{N}}$				
Siti Kotijah, S	Suradiya	anto, ar	nd Fitryah						123
SENSORY 1	PROFI	LE O	F DURIAN	YOGUI	RT AS A	SYMBI	OTIC	YO	GURT
WITH SUGA	AR AN	D SKI	M MILK FO	RMULA	ATION				
Aswita Emma	awati, N	I arwati	i, Yuliani, and	l Rini Ra	ıhmawati .				129



DESIGN OF SOFT JELLY CANDY WITH ADDITION OF EDIBLE BIRD NEST (Collocalia Sp.) AS FUNCTIONAL FOOD RICH IN SIALIC ACID

Krishna Purnawan Candra^{a*}, Firza Sarwani^a, and Muhammad Hasan^a

^aDepartment of Agricultural Product Technology, Faculty of Agriculture, Mulawarman University, Indonesia

*Corresponding author: candra@faperta.unmul.ac.id

ABSTRACT

We have previously demonstrated a design of soft jelly candy using mix of fish and bovine bone gelatine (1:3) to promote the use of halal gelatine and with the addition of rosella calyx extract to construct functional food rich in antioxidants. In this report, we made further development of the product by adding edible birds nest (EBN) to construct the jelly rich in sialic acid (*Sia*). Strawberry essence was applied to reduce gelatinflavour. The *Sia*playsan important role in brain development, anti-cancer and cell rejuvenation. This experiment was arranged in a completely randomised design with the factor of the addition of EBN 0-24 % w/v in the gelatine sol containing rosella calyx extract. The result showed that addition of EBN between 6-18% w/v gave the best characteristic of hedonic sensory (rather like), with quality hedonic characteristics of red in colour, the taste of mild strawberry, and a mild in chewiness.

Keywords: fish gelatine, bovine gelatine, brain development, anti-cancer, cell rejuvenation

INTRODUCTION

Jelly candy is very popular among children, which then attract people to design functional food based on candy. Recently we have developedRoselle soft jelly candy, which produced from the mixture of fish bone and bovine bone gelatine added by Roselle calyx extract to design functional candy and promote the using of halal gelatine. In this report, we made advance developed on the Roselle soft jelly candy by adding edible birds nest (EBN).

EBN is collected from the nest of Collocalia sp., which is produced from their saliva. The EBN is commonly consumed as soup in the Chinese community. It is reported rich in substances showing the activity of antioxidant (Yida, Imam, & Ismail, 2014), and shows bone strength improvement, skin rejuvenation, epidermal growth factor activity and cell proliferation (Chua & Zukefli, 2016), as well as anticancer (Rashed & Wan Nazaimoon, 2010) and autoimmune (Haghani et al., 2016). Sialic acid (Sia) is found about 1.5% in EBN (Norhayati, Azman, & Wan Nazaimoon, 2010). Sia, a carbohydrate with 9 atom C posses a negative charge, is responsible as the bioactive on the activities (Ma & Liu, 2012). It is inline with the report that Sia is found in a significant amount in mother milk, which is the only food available for an infant (Carlson, 1985).

There were reported that addition of carbohydrate in gelatinsol would increase the

hardness of the jelly (Haug, Draget, & Smidsrød, 2004). This research aimed to study the addition of EBN on sensory characteristics of Roselle soft jelly candy. This study will explore the potency of EBN in designing a functional food, as until now the EBN only exported from Indonesia to Asian countries especially to China as raw material (Chairul, 2015). Indonesia as the largest producer of edible birds nest (EBN) in the world should develop the EBN potency as industrial and pharmaceutical material (Zhang, Lai, Liu, Li, & Li, 2013).

MATERIALS AND METHODS

Materials

The edible birds nest (EBN) obtained birdhouse in East Kalimantan, rosella flowers obtained from local farmers around Samarinda city, and giant featherback fish bones collected from the waste of amplang industry in Samarinda city. Sugar, bovine gelatin, high fructose sugar (HFS), guar gum, flavours, and potassium sorbatewere obtained from a local market in Samarinda city.

Experimental design

A single factor experiment (addition of EBN) arranged in Completely Randomized Design was conducted in this research. The EBN was added at 0, 8, 16 and 24 g into 100 g of material. Each treatment was replicated three

ISBN:9786021753019 | 35



times, and sensory characteristics for aroma, colour, taste and texture were observed.

Experimental procedure

Preparation of fish bone gelatin and rosellecalyx extract

Fishbone gelatine was prepared from giant feather back fish (Chitatalopis) bone obtained from the industrial waste of Amplang in the city of Samarinda. Degreasing of fat from the bones and extracted the gelatine using acid solution was done as suggested by (Yuliani, Agung, Marwati, & Candra, 2018). Rosellacalyx extract was prepared by extracted of 6 g dried roselle calyx in 400mL of boiling water for 15 minutes then filtered (Yuliani et al., 2018).

Preparation of EBN

The EBN for soft jelly candy was preparedin three steps. Firstly, the EBN was washed in running water for three times each of 30 sec. Brushing the EBN was applied on the first washed to remove the rest of the eggshell, faecesandfeathers (Susilo, Latif, & Ridwan, 2013). Secondly, the washed EBN was soaked in hot water (1:10 w/v) at 80°C for 10 minutes to remove the rest feathers attached on the nests followed by rinsing and reducing the size (± 2-3cm²). The clean EBN then dried in an oven at 60°C for 6 h. Thirdly, the dry clean EBN were soaked (1:10 w/v) in warm water (55°C) for 90 min. followed by EBN puree preparation. The EBN puree was prepared by crushing the soaked EBN with the addition of flake ice (1:2 w/w) and filtered the mixture to remove the ice (allowed to melt to water at room temperature).

Soft jelly candy preparation

Soft jelly candy was prepared according to Yuliani et al. (2018). Three grams of HFS and 26.25 g of sugarwere poured into 50 mL of Rosellecalyxextract and cooked at 80-85°C. After 1 min., 9 g of mixture-gelatineofgiant feather back fish and bovine bone gelatine (1: 3) was added to the extract mixture step by step while stirring to prevent clotting. As the sol formed, 3g of guar gum and an amount of EBN puree (0-24 g) was added step by step while stirring until the sol is mixed evenly. The temperature process was maintained at 80-85°C for 3 min then the heating was stopped, and 0.05 g of potassium sorbateand 5 drops of strawberry essence were added as a preservative and flavour while stirred for 2 min. The sol mixture then formed by cooling at 15°C for 2 hours.

RESULT AND DISCUSSION

The addition of EBN puree until 24 % in Roselle soft jelly candy affected significantly on the hedonic sensory characteristics for colour, aroma, texture, and taste. The allperformance ofhedonic sensory characteristics are shown in

Table 1. Effect of edible birds nest (EBN) on hedonic sensory of Sia Jelly Candy

All performance
3,94±0,29 b
3,83±0,38 b
3,78±0,37 b
3,31±0,36 a
3,16±0,35 a

Note: Hedonic sensory scores (avg ± sd) were derived from all attributes (colour, aroma, texture and taste, each 30 data). Data were analysed by Friedman test continued by Tukey test. Data followed by different letter show significantly different (p<0.05). Sensory hedonic score 1-5 for very disliketo like very much.

Addition of EBN puree more than 12% will reduce the acceptance of the Roselle soft jelly candy containing EBN added as a puree. Protein is the main content of EBN, about 60%, besides it contains until 1.5% sialic acid (Sia) (Norhayati et al., 2010). The Sia is found in the form of glycoprotein, glycolipid, and oligosaccharide (Corfield & Schauer, 1982). We expect that the carbohydrate content of EBN (You et al., 2014) was responsible for the changes of panellist acceptance on the sensory hedonic characteristics as it was reported that the mixture of some types of carbohydrate, like agar (Somboon, Karrila, Kaewmanee, & Karrila, 2014) and carrageenan (Eveline, Santoso, & Widjaja, 2011; Haug et al., 2004; Pranoto, Lee, & Park, 2007) affects gel characteristics of gelatin.

REFERENCES

- Carlson, S. E. (1985). N-acetylneuraminic acid concentrations in human oligosaccharides and glycoproteins during lactation. The American Journal of Clinical Nutrition, 41(4), 720–726.
- Chairul, A. (2015). Perdagangan Sarang Walet Menguat, 29–32. Retrieved http://www.varia.id/2015/01/31/perdagan gan-sarang-burung-walet-menguat/
- Chua, L. S., & Zukefli, S. N. (2016). A comprehensive review of edible bird nests and swiftlet farming. Journal of



- Integrative Medicine, 14(6), 415-428. https://doi.org/10.1016/S2095-4964(16)60282-0
- Corfield, A. P., & Schauer, R. (1982). Occurrence of Sialic Acids. In R. Schauer (Ed.), Cell Biology Monograph: Sialic Acids -Chemistry, Metabolism and Function (Vol. 10, pp. 5-50). Wien: Springer Vienna.
- Eveline, Santoso, J., & Widjaja, I. (2011). Kajian Konsentrasi Dan Rasio Gelatin Dari Kulit Ikan Patin Dan Kappa Karagenan Pada Pembuatan Jeli. Jurnal Pengolahan Hasil Perikanan Indonesia Volume, XIV, 98-105.
- Haghani, A., Mehrbod, P., Safi, N., Aminuddin, N. A., Bahadoran, A., Omar, A. R., & Ideris, A. (2016). In vitro and in vivo mechanism of immunomodulatory and antiviral activity of Edible Bird's Nest (EBN) against influenza A virus (IAV) infection. Journal of Ethnopharmacology, 185.
 - https://doi.org/10.1016/j.jep.2016.03.020
- Haug, I. J., Draget, K. I., & Smidsrød, O. (2004). Physical behaviour of fish gelatin-κcarrageenan mixtures. Carbohydrate 11-19. Polymers, 56(1), https://doi.org/10.1016/j.carbpol.2003.10. 014
- Ma, F., & Liu, D. (2012). Sketch of the edible bird's nest and its important bioactivities. Food Research International, 48(2), 559https://doi.org/10.1016/j.foodres.2012.06. 001
- Norhayati, M. K., Azman, O., & Wan Nazaimoon, W. (2010). Preliminary Study of the Nutritional Content of Malaysian Edible Bird's Nest. Malaysian Journal of *Nutrition*, 16(3), 389–396. Retrieved from http://europepmc.org/abstract/med/22691 992
- Pranoto, Y., Lee, C. M., & Park, H. J. (2007). Characterizations of fish gelatin films added with gellan and κ-carrageenan. LWT-Food Science and Technology, 766-774. https://doi.org/10.1016/j.lwt.2006.04.005

- Rashed, A. A., & Wan Nazaimoon, W. M. (2010). Effect of Edible Bird's Nest on Caco-2 Cell Proliferation. Journal of Food Technology, 8(3), 126–130.
- Somboon, N., Karrila, T. T., Kaewmanee, T., & Karrila, S. J. (2014). Properties of gels from mixed agar and fish gelatin. International Food Research Journal, 21(2), 485–492.
- Susilo, H., Latif, H., & Ridwan, Y. (2013). Penerapan Metode Pencucian Dengan Air Mengalir Untuk Menurunkan Kadar Nitrit Pada Sarang Burung Walet. Jurnal Kedokteran Hewan, 10(2), 95-97.
- Yida, Z., Imam, M. U., & Ismail, M. (2014). In vitro bioaccessibility and antioxidant properties of edible bird's nest following simulated human gastro-intestinal digestion. BMC Complementary and Alternative Medicine, 14, 468. https://doi.org/10.1186/1472-6882-14-468
- You, Y., Cao, Y., Guo, S., Xu, J., Li, Z., Wang, J., & Xue, C. (2014). Purification and identification of α 2–3 linked sialoglycoprotein and α 2-6 linked sialoglycoprotein in edible bird's nest. European Food Research and Technology, 389-397. https://doi.org/10.1007/s00217-014-2338-
- Yuliani, Agung, B. T., Marwati, & Candra, K. P. (2018). Physico-chemical characteristics of giant featherback (Chitala lopis) and mackerel (Scomberomorus commerson) bone gelatin and their potential as gelling agent in gel mixture system for roselle (Hibiscus sabdariffa L.) soft jelly candies. Walailak Journal of Science and Technology. In Press. Retrieved from http://wjst.wu.ac.th/index.php/wjst/article/ view/4559
- Zhang, S., Lai, X., Liu, X., Li, Y., & Li, B. (2013). Development of Monoclonal Antibodies and Quantitative Sandwich Enzyme Linked Immunosorbent Assay for the Characteristic Sialoglycoprotein of Edible Bird's Nest. Journal of Immunoassay and Immunochemistry, 34, 49-60. https://doi.org/10.1080/15321819.2012.68 0527

Supported by:





SECRETARIAT FOR ICTAFF 2018 DEPARTMENT OF AGRICULTURAL PRODUCT TECHNOLOGY AGRICULTURE FACULTY MULAWARMAN UNIVERSITY

Jln. Pasir Balengkong Gunung Kelua Campus Mulawarman University
Samarinda

Email: ictaff2018@gmail.com

ISBN 978-602-17530-1-9

