ZONASI BIOSTRATIGRAFI FORAMINIFERA BESAR INDO-PASIFIK PERIODE PALEOGEN-NEOGEN DI INDONESIA

Disiapkan oleh :

Ir. Diana Rahmawati, S.T., M.Eng.

Dosen Paleontologi-Stratigrafi

Teknik Geologi FT UNMUL



REFERENSI

Boudagher-Fadel, M.K. (2018) *Evolution and Geological Significance of Larger Benthic Foraminifera*. 2nd edition. London: UCL Press. doi:https:// doi.org/10.14324/111.9781911576938.

Boudagher-Fadel, M.K. and Lord, A.R. (2000) *The evolution of Lepidocyclina (L.) isolepidinoides, L. (Nephrolepidina) Nephrolepidinoides sp. nov., L. (N.) brouweri and L. (N.) ferreroi in the late Oligocene-Miocene of the Far East*. Journal of Foraminiferal Research, 30 (1): 71-76. doi:10.2113/0300071.

Cole, W.S. (1957) *Larger foraminifera from Eniwetok Atoll drill holes. United States Geological Survey Professional Paper*, 260-V: 743-784.

Lunt, P., Allan, T. (2004) *A history and application of larger foraminifera in Indonesian biostratigraphy calibrated to isotopic dating*: GRDC Workshop on Micropaleontology. Bandung.

Renema, W., Racey, A. and Lunt, P. (2003) *Paleogene nummulitid foraminifera from the Indonesian Archipelago : review*., 2 (October): 23-78.

SAMARINDA
2022