[ICMSC-2018] Editorial Decision on Paper 2			Yahoo/Inbox	2
Rita Hairani <conference.fmipa@gmail.com> To: Sjarif Ismail</conference.fmipa@gmail.com>	ē	0	Tue, Jan 15, 2019 at 5:14 PM	z
Cc: Eva Marilana, Khemasili Kosala				
Sjarif Ismail:				
After a careful review of your submission, "The pH Increasing Effect of Wuluh Starfruit (Averrhoa bilimbi L.) Juice on Vasodilation Activity" will be considered for presentation at International Conference on Mathematics, Science, and Computer Science if the following revisions are successfully implemented.				
Thank you and looking forward to your participation in this event.				
Rita Hairani Department of Chemistry Faculty of Mathematics and Natural Science <u>rhairani09@gmail.com</u>				
Reviewer A:				
Does the writing title reflect the content, specific and effective?: Good				
Abstracts and keywords, do you describe the contents of the writing as a				
Abstracts and keywords, do you describe the contents of the writing as a whole? : Good				
is the purpose of the article stated clearly?: Good				
Are the study methods described clearly?: Good				
Does the article introduce a new idea that might stimulate others to do related research?: Good				
Does the article offer a valuable contribution to a certain area of research?: Good				
Are the results clearly presented?: Good				
Are the conclusions accurate and supported by the content?: Good				
Is the article correctly written (in terms of grammar, style and register)?:				
Good				

Is the literature used in support of Research sufficiently comprehensive and current?: Good Specific Comments and Suggestions : : needs some improvements Reviewer Recommendation : (Choose One) : Publish, but suggest changes to the article as specified in this review. International Conference on Mathematics, Science, and Computer Science http://conference.fmipa.unmul.ac.id/index.php/icmsc/2018/index w 272-336-2-... .docx 41.3kB ismail sjarif <ismail8997@yahoo.com> 🕤 Tue, Jan 15, 2019 at 5:25 PM 🛣 S To: eva_samarinda@yahoo.com --- On Tue, 1/15/19, Rita Hairani <<u>conference.fmipa@gmail.com</u>> wrote: > From: Rita Hairani <<u>conference.fmipa@gmail.com</u>>
 > Subject: [ICMSC-2018] Editorial Decision on Paper
 > To: "Sjarif Ismail" <<u>ismail8997@yahoo.com</u>>
 > Cc: "Eva Marliana" <<u>eva_samarinda@yahoo.com</u>>, "Khemasili Kosala" <<u>khemasili_k@yahoo.com</u>>
 > Date: Tuesday, January 15, 2019, 5:01 PM
 > Siarif Lemail. > Sjarif Ismail: > After a careful review of your
 submission, "The pH Increasing Effect of
 Wuluh Starfruit (Averrhoa bilimbi L.)
 Juice on Vasodilation Activity" will > be considered for presentation at > International Conference on Mathematics, > Science, and Computer Science if the > following revisions are successfully > implemented. > Thank you and looking forward to your > participation in this event.

🗲 Back 🗨 🦚 🇭	Archive	▲ Move	II Delete	😻 Spam 🛛 🚥	<u> </u>
 > Rita Hairani > Department of Chemistry > Faculty of Mathematics and Natural > Science > rhairani09@gmail.com 					
 > Reviewer A: > Does the writing title reflect the > content, specific and effective?: 					
 Good Abstracts and keywords, do you describe the contents of the writing as a 					
 > Whole ? : > Good > Is the purpose of the article stated 					
 > clearly?: > Good > Are the study methods described 					
> clearly?: > Good >					
 > Does the article introduce a new idea > that might stimulate others to do > related research? : > Good 					
> Are the study methods described					

>

> clearly?:

> Good

>

> Does the article introduce a new idea
 > that might stimulate others to do
 > related research? :
 > Good

- >
- > Does the article offer a valuable
 > contribution to a certain area of
 > research?:
 > Good

- >
- > Are the results clearly presented?:> Good
- >
- > Are the conclusions accurate and
- > supported by the content?:> Good

- > Is the article correctly written (in> terms of grammar, style and register)?:
- >
- > Good >

> Is the literature used in support of
 > Research sufficiently comprehensive and
 > current?:



272-336-2-... .docx 41.3kB



THE 2nd INTERNATIONAL CONFERENCE ON MATHEMATICS, SCIENCE, AND COMPUTER SCIENCE ICMSC 2018 FACULTY OF MATHEMATICS AND NATURAL SCIENCES JL Barong Tongkok No. 04 Kampus Gunung Kelua, Samarnda – East Kalimantar, 75123, Indonesia

Samarinda, 18th of April 2019

Letter of Acceptance

Dear Sjarif Ismail^{1,*}, Eva Marliana², and Khemasili Kosala¹

¹Faculty of Medicine, Mulawarman University, Samarinda, Indonesia
²Department of Chemistry, Faculty of Mathematics and Natural Science, Mulawarman University, Samarinda, Indonesia

Congratulations, your paper entitled:

"Effect of pH increasing of Wuluh star fruit (*Averrhoa bilimbi* L.) juice on vasodilatation activity" has been accepted for publication in Journal of Physics: conference series, IOP Science, a conference proceeding for the 2nd International Conference on Mathematics, Science and Computer Science (ICMSC 2018) which was held in Balikpapan, East Kalimantan, Indonesia in October 24th, 2018 at Novotel Hotel, Balikpapan.

Please remember that the article can only be published in the conference proceeding if the publication fee has been **paid**.

Again, we would like to congratulate you on submitting an article of such high quality and we look forward your contribution in the next conference.

Yours faithfully, The Editorial Board of ICMSC 2018



Dr. R R Dirgarini Julia N Subagyono, M.Sc

Effect of pH increasing of Wuluh star fruit (*Averrhoa bilimbi* L.) juice on vasodilatation activity

S Ismail^{1,*}, E Marliana² and K Kosala¹

¹Faculty of Medicine, Mulawarman University, Samarinda, Indonesia ²Department of Chemistry, Faculty of Mathematics and Natural Science, Mulawarman University, Samarinda, Indonesia

* Corresponding author: ismail8997@yahoo.com

Abstract. Wuluh star fruit (*Averrhoa bilimbi* L.) is Oxadiliaceae family which can be used as an antihypertensive drug by ethnomedicine. *A. bilimbi* fruit juice is proven to lower blood pressure in preclinical testing and limited phase 1 clinical trials, where the mechanism of action is through vasodilatation of blood vessels. The taste of juice fruit is very sour, but there is no information about the effect of pH increasing of juice on vasodilatation activity in blood vessels. In this research, *A. bilimbi* fruits were made into juice, filtered, centrifuged to get the supernatant. The pH of juice was increased by NaOH and KOH addition. Vasodilatation activity of juice was tested on isolated organs of the aortic ring endothelium. The control that used was Kreb's-Henselheit solution with a pH approaching the tested juice solution. The result showed that an increase in the pH of *A. bilimbi* fruit juice also affected the changes in vasodilatation activity. It can be concluded that the pH increasing on juice of *A. bilimbi* fruit can decrease vasodilatation activity on isolated organs of the aortic ring endothelium.

1. Introduction

Averrhoa bilimbi L., belongs to Oxalidaceae and known as Wuluh star fruit, is an Indonesian endemic plant thought to originate from Maluku [1]. Based on ethnobotany, this fruit is used as herbal ingredient, such as an antihypertensive agent [2]. Previous studies has proven that *A. bilimbi* fruit juice can reduce the blood pressure in rats and can acts as antihypertension [3]. In other research, also stated that the use of *A. bilimbi* fruit juice in small amount also can reduce the blood pressure [4, 5].

Recent research showed that *A. bilimbi* fruit juice can cause vasodilatation in separate blood vessels of the aortic ring endothelium given directly [6], this can be a proof of mechanism of action of blood pressure reduction through direct effects on vessel bloods. *A. bilimbi* fruit juice is organoleptically felt very acidic with a low pH, this can cause metabolic disorders and stomach disorders in patients with a history of peptic ulcer if taken in large and long-term to control blood pressure.

The acidity level of this fruit juice needs to be increased close to the body pH towards neutral or slightly alkaline, but the effect of increasing pH on blood vessel vasodilation activity is not yet known.

2. Materials and methods

2.1. General information

Chemicals that used in this research were the solution of Krebs-Henselheit, NaOH GR (Merck), KOH GR (Merck), Phenylephrine (Sigma-Aldrich), Methacoline (Sigma-Aldrich), Carbogen gas (Various Gas). The equipment used were a pH meter (Horiba), 10 mL chamber with circulation (IKA), octal bridge amplifier and power lab / 16SP (AD Instrument), isometric transducer (IKA), juice extractor (Cosmos) and Chart ver. 5.0.

2.2. Animals

Wistar male rats, aged 3-4 months, weighing 150-200 g, healthy, and active, from the Pharmacology Laboratory of Faculty of Medicine, Mulawarman University, maintained in a controlled environment according to standard animal care testing at the Mulawarman University Medical School with free access to food and drink. All procedure concerning animals were carried out in an ethically proper way and the experiments were approved by the Ethics Committee of the Faculty of Medicine, Mulawarman University.

2.3. Plant material

The fruit of *A. bilimbi* was taken from the area of Samarinda, East Kalimantan, in March, during the rainy season. Type identification was assisted by taxonomists from the Faculty of Forestry, Mulawarman University.

2.4. Preparation of sample

The fruit of *A. bilimbi* were washed and drained, the juice by using juice extractor, the juice solution was then filtered with a flannel cloth and then centrifuged to take the supernatant. Before being tested, *A. bilimbi* juice is stored in a refrigerator of -20° C in a small package. *A. bilimbi* fruit was taken from Samarinda area, East Kalimantan Province in March, during the rainy season. Type identification is assisted by taxonomists from the Faculty of Forestry, Mulawarman University. The fruit taken is ripe fruit which is yellowish and not rotten. After washing and draining the juice using extractor juice, the juice solution is then filtered with a flannel cloth and then centrifuged to get the supernatant. Before being tested, *A. bilimbi* juice is stored in the refrigerator -20° C in a small package. At the time of testing *A. bilimbi* juice as much as 60 mL measured its acidity with a pH-meter (referred to as JBA), and neutralized with a few drops (4-8 drops) saturated solution of NaOH (referred to as JBA + NaOH) and KOH (referred to as JBA + KOH), then note the acidity level. For comparison, the Kreb's-Henselheit solution was used as pH 7.4 as a control (referred to as K) and the Krebs-Henselheit solution with acidic pH (referred to as K + HCl).

2.5. Vasodilatation activity

Separate organ preparation of the rat aortic ring and its installation technique as described by Ismail et al (2017) and Ismail & Yuniati (2016) [7, 8]. Here thoracic aorta is used, inserted in a 10 mL organ chamber containing a solution of Kreb's-Henselheit pH 7.4 at 37°C and gassed with carbogen, then the solution is replaced every 10 min. The composition of the Kreb's-Henselheit is as described by Ismail et al (2013) [9]. After 90 minutes of acclimation, the integrity test of contractility with 10⁻⁶ M Phenylephrine (PE) solution, if a contraction response occurs, then endothelial integrity test with metacholin solution (META) 10-5 M. Contraction response arises after PE administration and vasodilatory response after META as a sign of good aortic contractility and intact endothelium so that it is ready for testing. After acclimation and integrity tests, the aorta is contracted with 10-6 M PE, after reaching a horizontal contraction given 0.3 mL of juice solution or Control and waited for 300 seconds

then washed out. The percentage of vasodilation or vasoconstriction activity was calculated using formula (1).

Percentage of Vasodilation or Vasoconstriction Activity =
$$\frac{\left[\left(APE - \frac{AJ}{control}\right) - APE\right]}{APE}X \ 100\%$$
(1)

Notes:

APE = peak tonus value after administration of phenylephrine AJ = peak tonus value after administration of juice

Negative values indicate vasodilation activity, a positive value indicates vasoconstriction activity. The results are tabulated in the Mean + SD value, then tested statistically using SigmaStat ver. 2.0, significantly different if p < 0.05. In this study 6 animals were tested using Wistar rats for replication 6 times and pH measurements were carried out three times.

3. Results and discussion

The results of pH measurements of *A. bilimbi* fruit juice and control in various treatments with pH meters and bioassay testing of vasodilation activity in separate organs of rat aorta with endothelium can be seen in table 1. It showed that *A. bilimbi* fruit juice has acidic pH values and causes vasodilation in separate organs of the aortic ring of mice with endothelium. The increase in pH in *A. bilimbi* fruit juice with the addition of alkaline solvents resulted in a decrease in vasodilation activity. The type of alkaline solution to neutralize this juice affects its vasodilatory activity, here it is seen that the KOH solution looks better for increasing the pH of *A. bilimbi* fruit juice than NaOH solution. In this study it was also known that the solution of Krebs-Henselheit in an acidic atmosphere as in *A. bilimbi* fruit juice can also cause vasodilation in blood vessels. Loutzenhiser et al (1999) had clearly demonstrated that acidic conditions can induce vasodilation in rat aorta through modulation of sequestration of intracellular calcium [10].

	The value of pH	Percentage of effect			
	Mean <u>+</u> SD	Mean <u>+</u> SD			
JAB	2.35 ± 0.03	-50 <u>+</u> 5**			
JAB+NaOH	7.42 ± 0.02	-4 <u>+</u> 1			
JAB +KOH	7.43 <u>+</u> 0.03	-11 <u>+</u> 2			
Κ	7.41 <u>+</u> 0.03	5 <u>+</u> 2*			
K+HCl	2.32 + 0.03	-18 + 1			

Table 1. The value of pH and vasodilation activity in various treatments of A. bilimbi fruit juice and control.

Notes: Performed in triplicate in determining the value of pH and 6 wistar rat for vasodilatation percentage. JAB = Juice of *A. bilimbi*; JAB +NaOH= Juice of *A. bilimbi* with NaOH; JAB +KOH= Juice of *A. bilimbi* with KOH; K= *Krebs-Henselheit* solution; K+HCl= *Krebs-Henselheit* solution with HCl. The negative value of effect percentage showed the vasodilation activity, while the positive value showed vasoconstriction activity. Statistical test with One-way Anova, different significance with p<0.05. *Significantly different if compared with all of groups. ** Significantly different if compared with JAB +NaOH.

In A. bilimbi fruit juice, neutralizing the acidic atmosphere can lead to a decrease in vasodilation activity as in this study, where the mechanism of action is still unclear. It is noteworthy, the salting

reaction between acids and bases can inactivate the active ingredient so that it becomes insoluble because the acidic atmosphere changes to neutral or towards the base, this needs further verification.

Another thing to consider is the change towards a neutral atmosphere or towards the base in *A. bilimbi* fruit juice can cause other secondary metabolites in the juice to become easily dissolved and then activate the endothelium in the blood vessels to remove various vasoconstrictor mediators. It is necessary to note that endothelium can produce a mediator of nitric oxide (NO) through activation of endothelial nitric oxide synthase (eNOS) and various mediators of endothelium-derived hyperpolarizing factors (EDHF) which both cause vasodilation in blood vessels, and endothelium-derived contracting factors (EDCF) such as endothelin, prostaglandin F2 α and thromboxane A2 which can cause vasoconstriction in blood vessels [11-13]. The role of the endothelium in the occurrence of vasoconstriction after being given A. bilimbi fruit juice with neutral pH or alkaline direction needs to be further proven in the bioassay using separate organs of the aortic ring of rats with endothelial denuded, then the results are compared with the aorta with endothelax.

4. Conclusion

The pH increasing on juice of *A. bilimbi* fruit can decrease vasodilatation activity on isolated organs of the aortic ring endothelium.

Acknowledgment

All of the research activities are funded by the Ministry of Research, Technology and Higher Education through the INSINAS Research Grants scheme in 2018. The Dean of the Faculty of Medicine and Head of the Mulawarman University Medical Faculty Laboratory has allowed the use of separate organ bioassay equipment for the aorta.

References

- [1] Kementerian Kesehatan RI 2014 *Tanaman obat untuk saintifikasi jamu* Jilid 5 (Jakarta: Lembaga Penerbit Badan Penelitian dan Pengembangan Kesehatan) p 34-42
- [2] Alhassan A M and Ahmed Q U 2016 *Averrhoa bilimbi* Linn.: A review of its ethnomedical uses, phytochemistry, and pharmacology *J Pharm Bioallied Sci* **8** 265-271
- [3] Safitri R 2015 Pengaruh Pemberian Sari Buah Belimbing Wuluh (*Averrhoa bilimbi* L.) Terhadap Tekanan Darah Sistolik Tikus *Sprague dawley* (Program Studi Ilmu Gizi Fakultas Kedokteran Universitas Diponegoro: Semarang) Tugas Akhir
- [4] Ihsan N P 2013 Pengaruh Belimbing Wuluh (*Averrhoa bilimbi* L.) Terhadap Penurunan Tekanan Darah *Tugas Akhir* (Fakultas Kedokteran Universitas Kristen Maranatha: Bandung)
- [5] Asprillia A 2016 Pengaruh Pemberian Sari Buah Belimbing Wuluh (Averrhoa Bilimbi L.) Terhadap Tekanan Darah Sistolik Remaja (Program Studi Ilmu Gizi Fakultas Kedokteran Universitas Diponegoro: Semarang) Tugas Akhir
- [6] Ismail S, Marliana E, and Kosala K 2018 Aktivitas Vasodilatasi Jus Buah Belimbing Wuluh (Averrhoa bilimbi L.) Pada Organ Terpisah Aorta Tikus MBI Seminar Nasional Biodiversitas Solo 6 April 2018
- [7] Ismail S, Kosala K, Fikriah I, and Magdaleni AR 2017 Mechanism of vasorelaxation induced by *Coptosapelta flavescens* stems extract in rat thoracic aorta. *Journal of Tropical Pharmacy and Chemistry* 4 96-102
- [8] Ismail S and Yuniati 2016 Aktivitas vasodilatasi pembuluh darah secara in vitro dan uji toksisitas akut minuman fungsional herbal Kaltim Journal of Tropical Pharmacy and Chemistry 3 197-201
- [9] Ismail S, Ali MM, and Soeatmadji DW 2013 Efek suplemen L-arginin subakut peroral pada kontraksi aorta tikus diabetes *Journal of Experimental Life Science* **3** 54-64

- [10] Loutzenhiser R, Matsumoto Y, Okawa W, and Epstein M 1990 H⁺-induced vasodilation of rat aorta is mediated by alterations in intracellular calcium sequestration *Circulation Research* 67 426-39
- [11] Jin X, Otonashi-Sastoh Y, Zamani Y, Koyama T, Sun P, Kitamura Y, and Kawasaki H 2010 Endothelial modulation of agonist-induced vasoconstriction in mesenteric microcirculation *The Pharmaceutical Society of Japan* 130 723-8
- [12] Sandoo A, Zanten J J C S V, Metsios G S, Caroll D, and Kitas G D 2010 The endothelium and its role in regulating vascular tone *The Open Cardiovascular Medicine Journal* **4** 302-12
- [13] Giles T D, Sander G E, Nossaman B D and Kadowitz P J 2012 Impaired vasodilation in the pathogenesis of hypertension: focus on nitric oxide, endothelial-derived hyperpolarizing factors, and prostaglandins *The Journal of Clinical Hypertension* 14 198-205